

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

Applicant: Donald Schmidt

Serial Number: 09/932,096 Art Unit: 3635

Filed: August 20, 2001 Examiner: Steve Varner

**For: FORM BRACING TIE BRACKET FOR MODULAR INSULATING
CONCRETE FORM SYSTEM AND FORM USING THE SAME**

**REQUEST FOR CORRECTED OFFICE ACTION
AND MAILING DATE RESET**

**Commissioner of Patents and Trademarks
PO Box 1450
Alexandria, Virginia 22313-1450**


Sir:

We have received an Office Action for the above-referenced application dated May 20, 2003. The References cited in the Office Action were not included in the mailing, nor were some of them included on PTO-892. A call was placed to Examiner Varner on May 30, 2003 and again on June 6, 2003, when he advised a request be submitted via fax.

I hereby request that a corrected Office Action be mailed. Additionally, I hereby request that the date determining the time for response be reset to the new mailing date so that the Applicant can have the full response time.

Kindly mail all correspondence to the below named Agent of record. I anticipate an early examination and allowance.

Respectfully submitted,


**Eugene Byrd
Registration No. 47,361
Agent for Applicant
PO Box 2607
Fairfax, VA 22031
(703) 370-6282
Date Submitted: June 10, 2003**

06/10/2003 16:00 3014483950

06/10/2003 15:56 5405484434

SIEMENS PATENT SVCS

PAGE 01

PAGE 02

6X14

SIEMENS PATENT SERVICES

PO Box 42118
Fredericksburg, VA 22404
(540) 548-4404
Fax 540-548-4434

FAX RECEIVED

JUN 11 2003

GROUP 3600

fax

to: Group 3635

fax #: 703-872-9326

from: Eugene Byrd

date: June 10, 2003

subject: Serial Number 09/932,096

pages: 2

Official

Message: Attached please find a request for the mailing of a corrected Office Action and a request to have the date for response time restarted. Thank you.